



GIASCO
SAFETY SHOES



BOOK 2019

MANAGEMENT SYSTEM CERTIFICATE

DNV - GL

SINCE 1971

MADE IN ITALY





CERTIFICATIONS
A QUESTION OF
TECHNOLOGY



RESEARCH
& DEVELOPMENT



PRODUCTION AND CONTROL



PROMPT DELIVERY
GIASCO  **SAFETY SHOES** TM

RAW MATERIAL

3RUN

200J
No Metal

XL
Mondo point 11

A

E

FO

SRC
ANTI-SLIPPING SOLE



3PU INJECTION SEQUENCES

*extra
LIGHT
shoes*





GIASCO SAFETY SHOES ™



HURRICANE S3 3R171V
39-47



LESTE S1P 3R171Q
36-47



BERG S3 3R171R
39-47



SHAMAL S3 3R1730
36-47



OROSHI S1P 3R172T
36-47



MARIN S1P 3R174C
36-47





LODOS S1P
36-47

3R163T



ZEFIRO S1P
36-47

3R163O



NORTE S3
36-47

3R164N



GHIBLI S1P
36-47

3R182T



BURAN S3
36-47

3R191O





CIENZO S3
36-47

3R198O



CITY

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



SRC

ANTI-SLIPPING SOLE

PERFECT GRIP

extra LIGHT

G-GEL ANTISHOCK
TO REDUCE IMPACT STRESS ON THE
BODY AND TO GIVE ENERGY
RETURN DURING THE WALK



BENDING POINT

ANTI-SLIPPING HEEL

TILTED HEEL
TO IMPROVE THE WALKING

extra
LIGHT
shoes

HIDDEN
OUTSOLE
TECHNOLOGY



FLORIDA S1P
39-47

CT145N



LONDON S3
39-47

CT154NR



ROME S3
39-47

CT158NR



LAS VEGAS S1P
35-47

CT154NC



PORTLAND S1P
39-47

CT154EV



NEW YORK S1P
39-47

CT158EV





GIASCO
SAFETY SHOES  TM



ARIES S3
39-47



ATLANTA S3
39-47



KANSAS S3
39-47



DETROIT S1P
35-47



GEORGIA S1P
35-47



NEVADA S1P
39-47





PARIS S3
35-42

CT152T



VALENCIA S1P
35-47

CT141V



MADRID S3
39-47

CT152V



ISTANBUL S3
37-47

CT1810



MALTA S2
35-47

CT002I



BUDAPEST S1P
35-47

CT095I



20347 PROFESSIONAL 




SNAKE 02 FO C71810

36-47



SPIDER 01P FO C7154N

36-47



CROW 01 FO

36-47



C7044O



MALMO 02 FO CI

36-47



C7025O



LUTON 03 FO

36-47



C7068OC



EAGLE 02 FO

36-47



C7004I



CAT 08 FO A E


36-47



C7007I

KUBE


BEST SLIPPING RESISTANCE



*extra
LIGHT
shoes*



SRC
ANTI-SLIPPING SOLE



ROOF GRIP UNI 11583:2015

COEFFICIENTE D'ATTRITO SECONDO LA PROVA UNI EN ISO 13287
FRICTION COEFFICIENT ACCORDING TO THE TEST UNI EN ISO 13287
ANTISTATIC PU/PU - DOUBLE DENSITY SOLE

GIASCO SAFETY SHOES  TM



ACQUARIUS S1P KU121E
39-47



GOLF S3 KU142E
39-47

  CLASS 3



LIBRA S3 KU048E
39-47

   CLASS 3



MIAMI S1P KU093N
35-47

  CLASS 3



BOXE S3 KU065N
39-47

  CLASS 3 



KARATE S3 KU069N
39-47

   CLASS 3 




FRESH S1P KU124KV
39-47




CARBON S1P KU224E
39-47




JUNG P3 CI KU168OVX 32-35
JUNG S3 CI KU168OV 36-47




NORDIC S3 KU043N
36-47



RUGBY S3 KU025N
36-47



BASKET S3 KU037N
36-47





GIASCO SAFETY SHOES



PERÙ S1P
34-47

KU095T
 CLASS 3



KAYAK S3
36-47

KU025T
 CLASS 3



SOFTBALL S3
39-47

KU037T
 CLASS 3



JUDD S1P
35-47

KU095O
 MICROWASH CLASS 3



DANCE S1P
35-42

KU055HF
 CLASS 3



PAINT S1P
35-47

KU125K
 CLASS 3



PANAMA S1P KU083T
35-49



BOSTON S3 KU051L
36-47




VOLARE S3 KU073T
35-47



SURF S1P KU1630
36-47



BIKE S1P KU141T
35-47



YORK S3 KU061D
35-49



OXFORD S3 KU068D
35-49






GIASCO SAFETY SHOES  TM



SKI S3
39-47

KU162T



SNOWBOARD S3
39-47

KU167T



FARRIER S3 CI
39-47

KU017L



MEDINA S2
35-47

KU0020



VILNIUS S3
36-47

KU0250



FREE SB FO A E
36-47

KU0070





POLO S2
34-49

KU002I



STOCKHOLM S2
39-47

KU025I



HELSINKI SB FO A E
36-47

KU007I



BALTIC S2
35-47

KU020I



CONSTANTA S2
37-47

KU880I



ICEBERG S2 CI
37-47

KU011I





RUBBER 4X4

ANTISTATIC PU / RUBBER SOLE



<p>200J</p>	<p>No Metal</p>	<p>XL</p> <p>Mondo point 11</p>
<p>HRO 300°C</p>	<p>STRONG</p>	<p>CI -17°C</p>
<p>A</p>	<p>E</p>	<p>FO</p>

SRC PERFECT GRIP

ANTI-SLIPPING SOLE



WELDER S3 CI HRO 4X122D
39-47



CROSS S1P HRO 4X141T
39-47



RALLY S3 CI HRO 4X224N
39-47




RACE S1P HRO 4X001E
39-47



GUN S3 CI HRO 4X165N
39-47



SAFARI S3 CI WR HRO 4X169N
39-47



ERGO SAFE

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE

200J
No Metal

XL
Mondo point 11

extra LIGHT shoes

A E FO

SRC
ANTI-SLIPPING SOLE



HAITI S1P
36-47

71N93C

CLASS 3



SPORT S3
36-47

73N25C

CLASS 3 HIGH VISIBILITY



GYM S3
36-47

73N37C

CLASS 3 HIGH VISIBILITY





FITNESS S1P
36-47

ER154NC

HIGH
VISIBILITY





SOCCER S3
36-47

ER025T

CLASS 3

HIGH
VISIBILITY




VOLLEYBALL S3
39-47

ER037T

CLASS 3

HIGH
VISIBILITY



SANTA FE S1P
36-47

71T83C

CLASS 3



CRICKET S1P
39-47

ER141T

HIGH
VISIBILITY



SQUASH S1P
39-47

ER148T

HIGH
VISIBILITY




HAWAII S1P
36-47

ER125K

 CLASS 3 HIGH VISIBILITY



FLASH S1P
36-47

ER1630

 MICROWASH HIGH VISIBILITY




AIR S1P
39-47

ER064Q

 CLASS 3 HIGH VISIBILITY



LIMA S1P
36-47

71T95C

 CLASS 3



ARENDA S2
36-47

72002

 MICROWASH CLASS 3



BERGEN S2
36-47

72102

 MICROWASH CLASS 3




*extra
LIGHT
shoes*

2 laces

BLOOM

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



SRC
ANTI-SLIPPING SOLE



LILY S3
36-41




LAVENDER S1P
36-41



HEATHER S3
36-41




DAISY S2
36-41



24HOURS

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



SRC
ANTI-SLIPPING SOLE



COMFORT PLANT XXL



BADEN S3
39-48

33N42C




CLASS 3



BREDA S3 CI
39-48

33N32C



CLASS 3 MEMBRANE CI - 17°C



SYDNEY S3
39-48

33L74C



CLASS 3 HIGH VISIBILITY



CANBERRA S3 WR 33L77C
39-48




CLASS 3 HIGH VISIBILITY WR




STABILE

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE

200J 
No Metal

XL 
Mondo point 11


A



E


FO

SRC

ANTI-SLIPPING SOLE

EXTRA PROTECTION OVER CAP





ESSEN S3 CI TO165N
39-47

				
---	---	---	---	---



HANNOVER S3 CI WR TO169N
39-47

					
--	---	---	---	---	---



KOLN S3 CI WR TO058L
39-47

					
---	---	---	---	---	---



BERLIN S3 TO065N
39-47

			
---	---	---	---



BAYERN S3 TO069N
39-47

			
---	---	---	---



DEFENDER S3 CI WR AN TO159D
39-47

					
---	---	---	---	---	---



GIASCO
SAFETY SHOES  TM



ORLANDO S3 CI TO017L
39-47



RED S3 CI TO157D
39-47



UTRECHT S3 CI WR TO259L
39-47



GRAZ S1P TO045N
39-47



PORTO S3 TO162V
39-47



BILBAO S3 TO167V
39-47



MALAGA S3
39-47

TO061D



GRANADA S3
39-47

TO068D



STRAUSS S3
39-47

TO880BP



ALASKA S3 CI WR
38-47

TO084B



DAKOTA S3 CI
39-47

TO011D



TITAN S3 CI
39-47

TO011G






ACTION

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



*extra
LIGHT
shoes*



SRC
ANTI-SLIPPING SOLE

PERFECT GRIP



AGADIR S1P AC083V
39-47



TIGRE S1P AC055Q
39-47



SALVADOR S3 AC003D
39-47




CUBA S3 AC049D
36-47




HAMBURG S3 CI WR AC058L
36-49









DALLAS S3 CI WR AC053N
39-47



DENVER S3 CI WR AC057N
39-47



GULF S3 AC011A
39-47



STEEL RM S3 AC141DRM
38-47




IRON RM S3 AC068DRM
37-47



SOLDADOR S3 AC880BSP
39-47




GIASCO
SAFETY SHOES ™



KENT S3
36-51

AC061D



CAMBRIDGE S3
36-51

AC068D



VIVALDI S3
36-47

AC888B



MOZART S2
AC810B
36-47

MOZART S3
AC810BP
36-49



VERDI S2
AC880B
36-47



VERDI S3
AC880BP
36-49



VERDI S3 R
39-47

AC880BRP





HRO 300°C SOLE





-35°C SOLE

HARD ROCK

ANTISTATIC PU / RUBBER SOLE


ANTISTATIC PU
RUBBER SOLE



SRC
ANTI-SLIPPING SOLE



HEAT INSULATION HI



FOR MECHANICAL WORKERS



PERFECT GRIP

GIASCO SAFETY SHOES



GENK S3 CI HI HRO HR051L
37-47

High Visibility
CI - 17°C



KIEL S3 CI HI WR HRO HR058L
37-48

High Visibility
Membrane
CI - 17°C
WR



CAIRO S3 CI HI HRO HR068D
39-47

High Visibility



ERCOLANO S3 HI HRO HR066D
39-47

Fireproof Thread
Welder



ALPI S3 CI HI WR HRO HR058G
37-47

High Visibility
Membrane
CI - 17°C
WR



ARIZONA S3 CI HI HRO HR158NR
39-47

High Visibility
CI - 17°C





QUEBEC S3 CI HI WR HRO
HR178E
39-47



WINTER S3 CI HI WR HRO
HR011L
39-47



ARTIC S3 CI HI WR HRO
HR179E
39-47



C.S.A. Z195-14 

HARD ROCK INSULATING line exceeds requirements fixed from the Canadian norm CSA for electrical resistance. Determination of Electric Shock Resistance to a potential of **20.000 V, 60 HZ, FOR A PERIOD OF 1 MIN**

INSULATING SOLE
from > 1000 MΩ 

The bottom of the shoe, within some limits (no humidity, it does not concern the upper), offers electrical resistance against tension up to 1.000V - M Ω > 1.000



ASTM 2413 - 11 

HARD ROCK INSULATING line exceeds requirements electrical resistance (EH) in accordance with ASTM 2413 - 11 electric hazard - Voltage: **20.000 V** / 60 Hz - duration: 1 min. - requirement of the electrical flow lower than 1.0 mA.



VOLT SB FO E P HRO
HRD055H
39-47



HERTZ SB FO E P HRO
HRD154T
39-47



FRANKLIN SB FO E P WRU HRO
HRD052T
37-47




EDISON SB FO E P CI HI WRU HRO
HRD060D
37-47



AMPERE SB FO E P CI HI WRU HRO
HRD037T
39-47



TESLA SB FO E P CI HI WRU WR HRO
HRD057E
39-47





CLASSE 2
24 m/s

WOODCUT S3 CI HI WR HRO SRC

53L97C
39-47



MARTE GI S5

39-46



METAL



MARTE V S5


39-46



METAL



SOLE



35/36
37/38
39/40
41/42
43/44
45/46



PESCI

39-47



GIOVE P S4

39-46



GIASCO SAFETY SHOES ™

ACCESSORIES





Mondo point 11

1000
36-49





Mondo point 11

MEMORY
36-47





Mondo point 11

4000
35-47





Mondo point 11

5000
32-49




Mondo point 11

DIELECTRIC
37-47





Mondo point 9
BLOOM

3000
36-41





Mondo point 12
24HOURS

8000
39-48



39/40
41
42
43
44/45
46/47



Mondo point 11

AX



GAS14-10
110 cm

GAS13-10
90 cm



GAS600-10
80 cm



GAS09-10
CM 67X32X28



3RUN

page 5



CITY

page 8



KUBE

page 13



RUBBER 4X4

ANTISTATIC PU / RUBBER SOLE

page 20



ERGOSAFE

page 21



BLOOM

page 24



24HOURS

page 25



STABILE

page 26



ACTION

page 30



HARD ROCK

ANTISTATIC PU RUBBER SOLE

page 33



HARD ROCK

DIELECTRIC SOLE PU/RUBBER

page 36



BOOTS & ACCESSORIES

page 37-38

GIASCO

SAFETY SHOES

