

GIASCO

SAFETY SHOES



TM




BOOK 2022
PREVIEW





TECHNOLOGY

3PU INJECTION SEQUENCES



3PU PATENT

THE FIRST SHOE WITH **3** PU *DENSITIES* INJECTED



 3D è una tecnologia rivoluzionaria brevettata che permette di offrire l'unica calzatura con 3 diversi strati di poliuretano iniettati su tomaia. Obiettivo di questo prodotto è quello di offrire Sicurezza, il massimo Comfort e una sicura Stabilità del piede grazie alle 3 densità che caratterizzano i vari strati della suola.

 3D is a patented revolutionary technology that allows us to offer the only shoe with 3 different layers of polyurethane injected on the upper. The aim of this product is to offer Safety, maximum Comfort and Secure foot stability thanks to the 3 densities that characterize the various layers of the sole.

 3D es una tecnología revolucionaria patentada que nos permite ofrecer el único zapato con 3 niveles diferentes de poliuretano inyectados en el corte. El objetivo de este producto es ofrecer seguridad, el máximo confort y una estabilidad segura del pie gracias a las tres densidades que caracterizan las distintas capas de la suela.

 3D est une technologie révolutionnaire brevetée qui nous permet d'offrir la première chaussure avec 3 couches différentes de polyuréthane injecté sur la tige. Le but de ce produit c'est d'offrir sécurité, un confort optimal et de garantir la stabilité du pied grâce aux 3 densités qui caractérisent les différentes couches de la semelle.

 3D ist eine revolutionäre und patentierte Technologie, die es gestattet einen einzigartigen Schuh mit drei verschiedenen Schichten aus in das Oberleder injiziertem Polyurethan anzubieten. Das Ziel dieses Produkts ist es, dem Fuß dank der drei unterschiedlichen Dichten der verschiedenen Schichten der Sohle einen maximalen Komfort sowie eine sichere Stabilität zu bieten.



3PU PATENT

3MOVE




NO METAL



MONDO POINT 11



ROOF GRIP



A



E



FO

SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*



TECHNOLOGY
3PU INJECTION SEQUENCES



ANTI-TORSION INSERT

TILTED HEEL TO
IMPROVE THE WALKING

BENDING POINT

ANTI-SLIPPING HEEL

ANTISHOCK



COMFORT

STABILITY

ANTISLIP



FOX S3

36-47

3M453N



TIGER S3

36-47

3M457N



LION S3

39-47

3M184K



CHEETAH S1P

39-47

3M184Y





NEW

MAKO S1P
36-47

3M182T



NEW

SHARK S1P
36-47

3M450T



NEW

LEOPARD S1P
36-47

3M454T



NEW

FALCON S3
36-47

3M474NA





3PU PATENT

3HYBRID




NO METAL



MONDO POINT 11



ROOF GRIP



A



E



FO

SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*



TECHNOLOGY
3PU INJECTION SEQUENCES



ANTI-TORSION INSERT

TILTED HEEL TO
IMPROVE THE WALKING

BENDING POINT

ANTI-SLIPPING HEEL

ANTISHOCK



COMFORT

STABILITY

ANTISLIP



TM



ARUBA S3

3H192EV

36-47



MYKONOS S1P

3H192ER

36-47



NEW

SYLT S1P

3H432Y

39-47



BURGAZ S1P

3H184J

39-47



GOTLAND S1P

3H224EJ

39-47



NEW

TAHITI S1P

3H171Q

36-47



NEW

LAS VEGAS S1P

3H154EC

36-47



PAG S3

3H063N

36-47





JAVA S3

36-47



3H022C



MALÈ S3

39-47



3H022H



PANAREA S1P

36-47



3H174V



FIJI S3

39-47



3H142EV



BALI S3

36-47



3H149EV



SAMOA S1P

36-47



3H085N



LIPARI S1P

36-47



3H182NG



BORNEO S3

36-47



3H037NG



USTICA S2
36-47

3H002I



CORFU S2
36-47

3H002O



MAUI S3
36-47

3H191I



ZANTE S1P
36-47

3H095I



MINORCA S2
36-47

3H020I





3PU PATENT


3CROSS



NO METAL



MONDO POINT 11



A



E



FO

SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*



TECHNOLOGY
3PU INJECTION SEQUENCES





TEIDE S1P
36-47

3C094T



K2 S3 CI
39-47

3C149E



ELBRUS S3
36-47

3C198N



STELVIO S3 CI
39-47

3C224N



MAKALU S3 CI WR
38-47

3C058G



HIMALAYA S3 CI WR
39-47

3C178E





AINOS S3

3C022C



EIGER S3

3C022H



THOMSON SB FO E P CI WRU

3C060D



SINAI S1P

3C182T



KAMET S3 CI

3C122D



ANETO S3

3C191O



TRIVOR S3

3C198O





3PU PATENT


3RUN



NO METAL



MONDO POINT 11



A



E



FO

SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*



TECHNOLOGY
3PU INJECTION SEQUENCES





HURRICANE S3
39-47

3R171V



LESTE S1P
36-47

3R171Q



BERG S3
39-47

3R171R



LIBECCIO S1P
36-47

3R085N



JARBO S3
36-47

3R453N



OSTRO S3
36-47

3R457N





SHAMAL S3
36-47

3R173O



OROSHI S1P
36-47

3R172T



NORTE S3
36-47

3R164N



GHIBLI S1P
36-47

3R182T



FLOW SB FO E P CI WRU
36-47

3R022E



NEW



LIGHT SB FO E P CI WRU
36-47

3R198E



NEW



MARIN S1P
36-47

3R174C



ZEFIRO S1P
36-47

3R163O



LODOS S1P
36-47

3R163T



CALIMA S1P
36-47

3R182V



BURAN S3
36-47

3R191O



CIENZO S3
36-47

3R198O



BEST SLIPPING RESISTANCE

KUBE



SRC
ANTI-SLIPPING SOLE

PERFECT GRIP

extra
LIGHT
shoes

ROOF GRIP UNI 11583:2015

COEFFICIENTE D'ATTRITO SECONDO LA PROVA UNI EN ISO 13287
FRICTION COEFFICIENT ACCORDING TO THE TEST UNI EN ISO 13287
ANTISTATIC PU/PU - DOUBLE DENSITY SOLE




ANTISHOCK

BENDING POINT

TILTED HEEL
TO IMPROVE THE WALKING

ANTI-SLIPPING HEEL





MIAMI S1P
35-47

KU093N



RUGBY S3
36-47

KU025N



BASKET S3
36-47

KU037N



BIKE S1P
35-47

KU141T



GOLF S3
39-47

KU142EV



LIBRA S3
36-47

KU149EV





NORDIC S3

KU043N



BOXE S3

KU065N



KARATE S3

KU069N



PAINT S1P

KU125K



PERÙ S1P

KU095T



BOSTON S3

KU051L



FARRIER S3 CI

KU017L



DANCE S1P

KU055HF



Cady



PANAMA S1P
35-49

KU083T



KAYAK S3
36-47

KU025T



SOFTBALL S3
39-47

KU037T



VOLARE S3
36-47

KU474NA



YORK S3
35-49

KU061D



OXFORD S3
35-49

KU068D





TM



MEDINA S2

KU0020



VILNIUS S3

KU0250



FREE SB FO A E

KU0070



POLO S2

KU0021



STOCKHOLM S3

KU1911



HELSINKI SB FO A E

KU0071



BALTIC S2

KU0201



CONSTANTA S2

KU8801



ICEBERG S2 CI


KU0111



KUBE

ANTISTATIC PU / RUBBER SOLE

RUBBER 4X4



SRC
ANTI-SLIPPING SOLE



WELDER S3 CI HRO

4X122D



CROSS S1P HRO

4X141T



GUN S3 CI HRO

4X165N



SAFARI S3 CI WR HRO

4X169N



BENDING POINT

ANTI-SLIPPING HEEL

ANTISHOCK

TILTED HEEL
TO IMPROVE THE WALKING

ANTISTATIC PU/PU -
DOUBLE DENSITY SOLE
ERGO SAFE



SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*



SPORT S3
36-47



73N25C



GYM S3
36-47



73N37C





SANTA FE S1P



71T83C



SOCCER S3



ER025T



VOLLEYBALL S3



ER037T



HAITI S1P



71N93C



TENNIS S1P



ER172T



LIMA S1P



71T95C



ARENDAL S2



72O02



BERGEN S2



72102



ANTISTATIC PU/PU - DOUBLE DENSITY SOLE **STABILE**



SRC
ANTI-SLIPPING SOLE

EXTRA PROTECTION OVER CAP

ANTI-TORSION INSERT

TILTED TOE
TO IMPROVE THE WALKING

TILTED HEEL
TO IMPROVE THE WALKING



KÖLN S3 CI WR
39-47

TO058L



DEFENDER S3 CI WR AN
39-47

TO159D



UTRECHT S3 CI WR
39-47

TO259L





ESSEN S3 CI
39-47

TO165N



HANNOVER S3 CI WR
39-47

TO169N



NEW

BILBAO S3 CI WR
39-47

TO149G



BERLIN S3
39-47

TO065N



BAYERN S3
39-47

TO069N



ORLANDO S3 CI
39-47

TO017L





MALAGA S3
39-47

TO061D



GRANADA S3
39-47

TO068D



STRAUSS S3
39-47

TO880BP



ALASKA S3 CI WR
38-47

TO084B



DAKOTA S3 CI
39-47

TO011D




TITAN S3 CI
39-47



TO011G



ANTISTATIC PU/PU -
DOUBLE DENSITY SOLE
ACTION



SRC
ANTI-SLIPPING SOLE



COMFORT TOE

BENDING POINT

ANTI-SLIPPING HEEL

ANTISHOCK

COMFORT HEEL



SALVADOR S3
39-47

AC003D



CUBA S3
36-47

AC049D



GULF S3
39-47

AC011A



DALLAS S3 CI WR
39-47

AC053N



DENVER S3 CI WR
39-47

AC057N



HAMBURG S3 CI WR
36-49

AC058L






BIG SIZE

KENT S3



AC061D




BIG SIZE

CAMBRIDGE S3



AC068D



MOZART S2

AC810B
36-47



MOZART S3

AC810BP
36-49




VERDI S2

AC880B
36-47



VERDI S3

AC880BP
36-49



VERDI S3 R

39-47



AC880BRP



SOLDADOR S3



AC880BSP




IRON RM S3



AC068DRM



ANTISTATIC PU -
RUBBER SOLE
HARD ROCK



SRC
ANTI-SLIPPING SOLE



BENDING POINT

ANTI-SLIPPING HEEL

ANTISHOCK

HRO 300°C SOLE



-30°C SOLE





GENK S3 CI HI HRO
37-47

HR051L



KIEL S3 CI HI WR HRO
37-48

HR058L



CAIRO S3 CI HI HRO
39-47

HR068D



M-PROTECTION S3 HI HRO M
39-47

HR470EMR



ERCOLANO S3 HI HRO
39-47

HR066D



ALPI S3 CI HI WR HRO
37-47

HR058G





QUEBEC S3 CI HI WR HRO

HR178E

39-47



OPENING BY ZIPPER

ARTIC S3 CI HI WR HRO

HR179E


39-47



WINTER S3 CI HI WR HRO

HR011L

39-47



ANTIBACTERIAL TECHNOLOGY

HARD ROCK
ANTISTATIC PU - RUBBER SOLE

PROFESSIONAL *CITY*




SRC
ANTI-SLIPPING SOLE

extra
LIGHT
shoes
HIDDEN
OUTSOLE
TECHNOLOGY

TILTED HEEL
TO IMPROVE THE WALKING

BENDING POINT

ANTI-SLIPPING HEEL





EAGLE O2 FO
36-47

C7004I



SNAKE O2 FO
36-47

C7181O



SPIDER O1P FO
36-47

C7154N



MALMO O2 FO CI
36-47

C7025O



LUTON O3 FO
36-47

C7068OC



INSULATING PU/PU/PU INSULATING PU / RUBBER SOLE ***DIELECTRIC LINE***



C.S.A. Z195-14

DIELECTRIC LINE exceeds requirements fixed from the Canadian norm CSA for electrical resistance. Determination of Electric Shock Resistance to a potential of **20.000 V** / 60 Hz, for a period of 1 min.



ASTM 2413 - 11

DIELECTRIC LINE exceeds requirements electrical resistance (EH) in accordance with ASTM 2413 - 11 electric hazard - Voltage: **20.000 V** / 60 Hz - duration: 1 min. - requirement of the electrical flow lower than 1.0 mA.



INSULATING SOLE FROM > 1000 MΩ

The bottom of the shoe, within some limits (no humidity, it does not concern the upper), offers electrical resistance against tension up to 1.000V - M Ω > 1.000



BRUN
NEW



FLOW SB FO E P CI WRU
36-47

3R022E



BRUN
NEW



LIGHT SB FO E P CI WRU
36-47

3R198E



3CROSS



THOMSON SB FO E P CI WRU
3C060D
38-47





HERTZ SB FO E P HRO

39-47



HRD154T



TESLA SB FO E P CI HI WRU WR HRO

HRD057E

39-47



AMPERE SB FO E P CI HI WRU HRO

HRD037T

39-47



VOLT SB FO E P HRO

39-47



HRD055H



SAMEL SB FO E P CI HI WRU HRO

HRD155D

38-47



EDISON SB FO E P CI HI WRU HRO

HRD060D

37-48



FRANKLIN SB FO E P CI HI WRU HRO

HRD052T

37-47



NEW

BOOTS



CLASSE 2
24 m/s

WOODCUT S3 CI HI WR HRO (80236)
39-47



MARTE V S5
39-46



MARTE GI S5
39-46



PESCI
39-47



GIOVE P S4
39-46





1000
36-49



MEMORY
36-47



4000
35-47



5000
34-49



NEW
DIELECTRIC
37-47



GA514-10
110 cm



GA513-10
90 cm



GA600-10
80 cm



GA509-10
CM 67X32X28



UNI EN ISO 20344
UNI EN ISO 20345



SB=



Resistenza della suola agli idrocarburi

Sole resistance to hydrocarbons

Résistance de la semelle aux hydrocarbures

Kohlenwasserstoff-beständige Laufsohle

Resistencia de la suela a los hidrocarburos

S1=SB+E+A



Puntale 200J o 100J

Toecap 200J or 100J

Embout 200J ou 100J

Zehenschutzkappe 200J oder 100J

Puntera 200J o 100J

S1P=SB+E+A+P



Assorbimento energia nella zona del tallone

Energy absorption of seat region

Absorption de l'énergie dans la zone du talon

Energieaufnahme im Fersenbereich

Absorción de energía en la zona del talón

S2=S1+WRU



Calzatura antistatica

Antistatic footwear

Chaussure antistatique

Antistatischer Schuh

Calzado antiestático

S3=S2+P



Tomaia idrorepellente

Water resistant upper

Empeigne imperméable

Wasserabweisender Oberleder

Resistencia a la absorción y penetración del agua de la parte superior



Resistenza della suola alla perforazione

Antiperforation midsole

Résistance de la semelle à la perforation

Durchtrittsichere Zwischensohle

Resistencia de la suela a la perforación

UNI EN ISO 20347



Fondo isolante contro il calore


Heat insulation of sole complex

Isolation de la semelle de la chaleur

Wärmeisolierung der Sohle

Suela aislante contra el calor

OB=



Fondo isolante contro il freddo

Cold insulation of sole complex

Isolation de la semelle du froid

Kälteisolierung der Sohle

Suela aislante contra el frío

O1= OB+E+A



Calzatura resistente all'acqua

Water resistant shoe

Chaussure imperméable

Wasserabweisender Schuh

Resistencia a la absorción y penetración del agua

O2= O1+WRU



Suola resistente al calore per contatto

Outsole resistant to hot contact

Semelle résistante à la chaleur par contact

Hitzebeständige Sohle

Resistencia de la suela al calor por contacto

O3= O2+P



Protezione metatarsale

Metatarsal protection

Protection métatarsienne

Mittelfuß-Schutz

Protección metatarsal



Protezione della caviglia

Ankle protection

Protection de la cheville

Knöchelschutz

Protección tobillo



USA STANDARD ASTM 2413-11 IMPACT/COMPRESSION

XBAG SPORT



XD3CROSS



XBAG NYLON




XDISPLAY



XTOTEM



XEXPO



XSTICKER



XPEN



MEDIA

WEBSITE



SOCIAL



MAGAZINE



3PU PATENT

3MOVE

page 4

3PU PATENT

3HYBRID

page 7

3PU PATENT

3CROSS

page 11

3PU PATENT

3RUN

page 14

KUBE

page 18

RUBBER 4X4

page 23

ERGO SAFE

page 24

STABILE

page 26

ACTION

page 29

HARD ROCK

page 32

CITY

page 35

DIELECTRIC LINE

page 37

BOOTS

page 39

ACCESSORIES

page 40

STANDARDS

page 41

ADVERTISING

page 42

GIASCO

SAFETY SHOES



TM



1st edition

BOOK 2022

